
KIT INSTRUCTIONS

Solid-State Drive

Release 1.0





The product described in this document is a licensed product of NCR Corporation.

NCR is a registered trademark of NCR Corporation. Product names mentioned in this publication may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries.

Where creation of derivative works, modifications or copies of this NCR copyrighted documentation is permitted under the terms and conditions of an agreement you have with NCR, NCR's copyright notice must be included.

It is the policy of NCR Corporation (NCR) to improve products as new technology, components, software, and firmware become available. NCR, therefore, reserves the right to change specifications without prior notice.

All features, functions, and operations described herein may not be marketed by NCR in all parts of the world. In some instances, photographs are of equipment prototypes. Therefore, before using this document, consult with your NCR representative or NCR office for information that is applicable and current.

To maintain the quality of our publications, we need your comments on the accuracy, clarity, organization, and value of this book. Please use the link below to send your comments.

EMail: FD230036@ncr.com

Copyright © 2017 By NCR Corporation Duluth, GA U.S.A. All Rights Reserved

Revision Record


Issue	Date	Remarks
Α	Apr 2017	First Issue

Solid-State Drive

Introduction

This kit provides a 16GB/32GB/64GB Solid-State Drive (SSD) for the P1532 POS (7734).

Kit Content




Kit Number	Part Number	Description
7734-K240	006-8626221	32GB SM220-297 Apacer APS297E032G-4ETM1-NCR
7734–K241	006-8626222	64GB SM220-297 Apacer APS297E064G-4ETM1-NCR
7734–K242	006-8626220	16GB SM220-297 Apacer APS297E016G-4ETM1-NCR

71350


Installation Procedure

- 1. Open the Head Assembly.
- 2. Insert the SATA Drive to the connector on the motherboard.




61797

3. Install the SATA Drive Retention Bracket.



61798

4. Secure the bracket with screw.



61794