



Kit Instructions

Rear Cable Cover

7199-K200

Issue B

Copyright and Trademark Information

The product described in this document is a licensed product of NCR Voyix Corporation.

NCR Voyix is a registered trademark of NCR Voyix Corporation. Product names mentioned in this publication may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

Where creation of derivative works, modifications or copies of this NCR Voyix copyrighted documentation is permitted under the terms and conditions of an agreement you have with NCR Voyix, NCR Voyix's copyright notice must be included.

It is the policy of NCR Voyix Corporation to improve products as new technology, components, software, and firmware become available. NCR Voyix, therefore, reserves the right to change specifications without prior notice.

All features, functions, and operations described herein may not be marketed by NCR Voyix in all parts of the world. In some instances, photographs are of equipment prototypes. Therefore, before using this document, consult with your NCR Voyix representative or NCR Voyix office for information that is applicable and current.

Copyright © 2017, 2026

By NCR Voyix Corporation

Atlanta, Georgia, USA

All Rights Reserved

Revision Record

Issue	Date	Remarks
A	Jul 2017	First issue
B	Feb 2026	Changed cover page and copyright page to NCR Voyix

REAR CABLE COVER KIT INSTRUCTION

Introduction


This kit serves as a cover for the rear cables connected at the bottom of the printer.

Installation Procedure


- 1) Flip the printer to view the back cover.




- 2) When attaching the cables, make sure to fasten it to the cable restraints. See blue arrows for direction. Below is an Option I/F routing:



- 3) Attach the rear cable cover to the printer. Insert the top latches to the top slots.



- 4) Lock the rear cable cover by inserting the bottom latches to the bottom slots or by pushing the cover to the printer.



Removal Procedure

- 1) Flip the printer to view the back cover.



- 2) Hold the printer with one hand and the other to push the rear cable cover.

