




Kit Instructions

CTM Top Plate Cover



7371-K080

Issue A

Copyright and Trademark Information

The product described in this document is a licensed product of NCR Voyix Corporation.

NCR Voyix SCO Hardware is a trademark of NCR Voyix Corporation in the United States and/or other countries. Other product names mentioned in this publication may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

Where creation of derivative works, modifications or copies of this NCR Voyix copyrighted documentation is permitted under the terms and conditions of an agreement you have with NCR Voyix, NCR Voyix's copyright notice must be included.

Disclaimer:

It is the policy of NCR Voyix Corporation to improve products as technology, components, software and firmware become available. NCR Voyix therefore reserves the right to change specifications without prior notice.

All features, functions and operations described herein may not be marketed by NCR Voyix in all parts of the world. In some instances, photographs are of equipment prototypes.

Therefore, before using this document, consult with your NCR Voyix representative or NCR Voyix office for information that is applicable and current.

© 2025

By NCR Voyix Corporation

Atlanta, Georgia, USA

All Rights Reserved

Table of Contents

7371-K080 CTM Top Plate Cover	5
Kit Contents	6
Required Tools	7
System dimensions	8
Installation Procedure	11


Revision Record

Issue	Date	Remarks
A	Jun 2025	First issue.

7371-K080 CTM Top Plate Cover

This publication provides procedures for installing the 7371-K080 CTM Top Plate Cover to the NCR Voyix SCO Cash Tender Module (CTM).

Kit Contents



CCP-84529

Part Number	Description
497-0536557	7371-K080 Top Plate Cover CTM
497-0535854	Top Plate Cover CTM
497-0535855	CTM Display Blanking Plate
006-8622623	Screw, M4 X 10, Flat Head, Phillips, Black Oxide (2 pcs)
006-8628727	Serrated Nut - Self Locking (M4, 4.2) (5 pcs)
* 006-8624866	Twist Lock - Side Entry, Standoff (4 pcs)

* Items marked with an asterisk are not called out on the image.


Required Tools

- Phillip screwdriver
- M4 Nut Driver

System dimensions

Front View


Front View



CCP-82698

Side View


Side View



CCP-85824

Top View

Top View




CCP-85825

Installation Procedure


To install the 7371-K080 CTM Top Plate Cover, follow these steps:

1. Align the tabs under the CTM Top Plate Cover with the corresponding slotted holes on the Top Plate.




CCP-84533

2. Slide the CTM Top Plate Cover toward the front of the unit.



CCP-84534


3. Secure the CTM Top Plate Cover at the rear of the Top Plate using two (2) screws, as shown in the image below.



CCP-84535


Screws

4. Unlock and open the Cosmetic Door using a key.



CCP-82807

5. Secure the CTM Top Plate Cover from inside the Core (Cabinet) and under the Top Plate using one (1) nut, as shown in the image below.



CCP-84536