



Kit Instructions

Stabilizer Solution, Semi-Self



7371-K902

Issue B

Copyright and Trademark Information

The product described in this document is a licensed product of NCR Voyix Corporation.

NCR Voyix FastLane SelfServ™ Checkout is a trademark of NCR Voyix Corporation in the United States and/or other countries. Other product names mentioned in this publication may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.

Where creation of derivative works, modifications or copies of this NCR Voyix copyrighted documentation is permitted under the terms and conditions of an agreement you have with NCR Voyix, NCR Voyix's copyright notice must be included.

Disclaimer:

It is the policy of NCR Voyix Corporation to improve products as technology, components, software and firmware become available. NCR Voyix therefore reserves the right to change specifications without prior notice.

All features, functions and operations described herein may not be marketed by NCR Voyix in all parts of the world. In some instances, photographs are of equipment prototypes.

Therefore, before using this document, consult with your NCR Voyix representative or NCR Voyix office for information that is applicable and current.

© 2018 - 2026

By NCR Voyix Corporation

Atlanta, Georgia, USA

All Rights Reserved

Table of Contents

Stabilizer Solution, Semi Self	5
Kit Contents	5
Installation Procedures	6
Installing Core Skirt Panels	7
Installing Stabilizer Brackets	10

Confidential and proprietary information of NCR Voyix.
Use and disclose solely pursuant to company instructions.

Revision Record


Issue	Date	Remarks
A	Jun 2018	First issue.
B	Jan 2026	Updated IP PDF template to NCR Voyix Branding.

Confidential and proprietary information of NCR Voyix.
Use and disclose solely pursuant to company instructions.

Stabilizer Solution, Semi Self

This publication provides procedures for installing Stabilizer Solution on the Semi-Self module in an NCR Voyix SelfServ™ Checkout (7707) unit.

Kit Contents



CCP-74421

Part Number	Description
497-0520546	7707-K902 Stabilizer Solution, Semi-Self
497-0519487	Stabilizer Bracket, LH
497-0519488	Stabilizer Bracket, RH
497-0520506	Stabilizer Bracket Cover, LH, RH
006-8624481	M5 Flat Screw (4pcs)
006-8626337	M6 Bolt (4pcs)
006-862638	Wedge Lock Washer (4pcs)

* Items marked with an asterisk are not called out on the image.

Installation Procedures

Installing Stabilizer Solution on the NCR Voyix SelfServ™ Checkout (7707) unit involves the following procedures:

1. Install the Core Skirt Panels if necessary. For more information, refer to "[Installing Core Skirt Panels](#)" on the next page.
2. Install the Stabilizer Brackets. For more information, refer to "[Installing Stabilizer Brackets](#)" on page 10.

 **Note**


Use a spirit level to make sure that the unit is level down properly.

Installing Core Skirt Panels

To install Core Skirt Panels on the NCR SelfServ Checkout (7707) unit, follow these steps:


1. To install the Front Skirt Panel, do the following:

- a. Unlock and then open the NCR Voyix SelfServ™ Checkout (7707) external door, using a key.




CCP-74422

- b. Install the Front Skirt Panel using two M5 screws as shown in the image below.




CCP-74423

2. Install the Rear Skirt Panel using two M5 screws as shown in the image below.




CCP-74433

3. Install the Right Skirt Panel using three M5 Screws as shown in the image below.



CCP-74424

4. Install the Left Skirt Panel using three M5 Screws as shown in the image below.





CCP-74425

5. Uninstall the Stabilizer Brackets on each side of the unit. For more information, refer to "[Installing Stabilizer Brackets](#)" on the next page.

Installing Stabilizer Brackets

To install Stabilizer Brackets on both sides of the NCR Voyix SelfServ™ Checkout (7707) unit , follow these steps:

1. Install the Core Skirt Panels if necessary. For more information, refer to "["Installing Core Skirt Panels"](#) on page 7.
2. Place the Stabilizer Brackets on each side of the unit and align the slots with the threaded holes of the unit as shown in the image below.




CCP-74426

3. Fasten each Stabilizer Bracket using two M6 Bolts with wedge lock washers as shown below.


 **Note**

The wedge lock washer locks the bolt in place.

Right Side





Left Side



CCP-74427

4. Cover each Stabilizer Bracket by doing the following:
 - a. Align the holes of the cover with the corresponding studs on the Stabilizer Bracket.
 - b. Secure each Stabilizer Bracket Cover using two M5 Flat Screws.



CCP-74428